

Fowler

XT Electronic Holemikes



- Large easy-to-read display
- RS-232C output
- Range 1/4—8" (6—200mm)
- 3-point tungsten carbide measuring anvils above .5" (12.5mm)
- Blind bore measuring above .5" (12.5mm)
- Ratchet stop for consistent measuring
- Fixed anvils
- Extensions available for deep measuring
- Heads with special anvils available for threads, splines, slots, etc.
- Setting rings included in all sets
- Includes UKAS certificates for all micrometers and setting rings
- Two preset memories
- Self centering heads



Fowler/Bowers new XT (Extended Travel) Electronic Holemikes feature fixed anvils and cover 1/4—8".



Order No.	Range	Accuracy	Depth
Electronic Holemike XT - Individual Sets:			
54-366-008	1/4—5/16" (6—8mm)	0.0001" (0.003mm)	2.28" (58mm)
54-366-010	5/16—3/8" (8—10mm)	0.0001" (0.003mm)	2.28" (58mm)
54-366-012	3/8—1/2" (10—12.5mm)	0.0001" (0.003mm)	2.28" (58mm)
54-366-014	1/2—5/8" (12.5—16mm)	0.0001" (0.003mm)	2.44" (62mm)
54-366-016	5/8—3/4" (16—20mm)	0.0001" (0.003mm)	2.44" (62mm)
54-366-018	3/4—1" (20—25mm)	0.00015" (0.004mm)	2.62" (66mm)
54-366-020	1—1 3/8" (25—35mm)	0.00015" (0.004mm)	2.62" (66mm)
54-366-022	1 3/8—2" (35—50mm)	0.00015" (0.004mm)	3.15" (80mm)
54-366-024	2—2 5/8" (50—65mm)	0.00015" (0.004mm)	3.15" (80mm)
54-366-026	2 5/8—3 1/4" (65—80mm)	0.00015" (0.004mm)	3.15" (80mm)
54-366-028	3 1/4—4" (80—100mm)	0.00015" (0.004mm)	3.94" (100mm)
54-366-030	4—5" (100—125mm)	0.0002" (0.005mm)	4.53" (115mm)
54-366-032	5—6" (125—150mm)	0.0002" (0.005mm)	4.53" (115mm)
54-366-034	6—7" (150—175mm)	0.0002" (0.005mm)	4.53" (115mm)
54-366-036	7—8" (175—200mm)	0.0002" (0.005mm)	4.53" (115mm)
Electronic Holemike XT Large Capacity Sets: Bore gage handles/readouts only			
54-364-010	1/4—3/8" (6—10mm)	54-364-550	1/4—3/8" (6—10mm)
54-364-020	3/8—3/4" (10—20mm)	54-364-551	3/8—3/4" (10—20mm)
54-364-050	3/4—2" (20—50mm)	54-364-552	3/4—2" (20—50mm)
54-364-100	2—4" (50—100mm)	54-364-553	2—4" (50—100mm)
54-364-105	4—6" (100—150mm)	54-364-554	4—8" (100—200mm)
54-364-110	6—8" (150—200mm)		
54-364-200	4—8" (100—200mm)		